

QPOS Series

The Highest **IT VALUE** to the Owner



**QUDRA
INTERNATIONAL®**

Model Name	QPOS	QPOSi
------------	------	-------

System Specification

Processor	Intel Bay Trail Quad Core J1900 CPU, 2GHz up to 2.42GHz, 2M Cache	Intel Skylake i3-6100U CPU, 2.3GHz CPU, 3M Cache Intel Skylake i5-6300U CPU, 3GHz CPU, 3M Cache
System Memory	DDR3L 1333MHz SO-DIMM x 1, Default 4GB	DDR3L-1600MHz SO-DIMM x 1, Default 4G, Max 8GB
Storage Device	SATA 500GB 2.5" HDD or Minimum 64GB SSD	
Power Supply	DC12V/5A- 60W external power, AC100 to 240V full range	DC12V/6A- 72W external power, AC100 to 240V full range
Pre-loaded Operating Systems	Window 7, POS Ready7, Win 10 IoT, Win 10 PRO, Linux per request	

Display & Touch

LCD Display	15" High bright LED-backlit display, 250 cd/m2 (default)
Touch Function	Flat Type , Projected Capacitive Touch ,USB Interface
LCD Resolution	4:3 aspect ratio, 1024 x 768 resolution (default)

I/O & Expansion

Standard USB	5 x USB 2.0 PORT	2 x USB 3.0 Port + 3 x USB 2.0 Port
Serial Port	2 DB9 Port (COM1 & COM2) with DC 5V/12V via BIOS Setting	
Cash Drawer Port	1 RJ11 Cash Drawer Port (12V or 24V)	
LAN Port	1 port RJ-45 (10/100/1000 Gigabit Ethernet LAN)	
AUDIO	Buzzer Only (Internal Speaker Option)	
VGA Port	1 port, DB-15	
Extension Slot	1 mini-PCI-E slot	


Integrated Options

Customer Display	Back Mount, 9mm VFD , 20 x 2 Line, RS-232 or USB Interface
2nd Monitor	7" LCD Panel , USB Interface 8" /10.4" / 15" LCD Panel , VGA Interface
MSR	2/3 Track encrypted , USB Interface
Wall Mount	VESA 100 x 100mm
Wi-Fi	Mini PCI-E Wi-Fi 802.11 b/g/n.


Product Dimensions & Environment

Dimensions	Width: 356 mm / Height: 343 mm / Depth: 180 mm
Net Weight	7.2kg
Wall Mount	VESA 100*100mm compliant
Product Certification	CE / FCC
Operation Temperature	0°C to 35°C
Storage Temperature	-20°C to 70°C

QPOS



QPOSi





Why QPOS?

- **Easy Deployment** – easy like Sunday morning
- **MIT (Made in Taiwan) true** – only using top-quality MIT core computer components
- **Flexible mounting options** - tabletop stand, kiosk pedestal, pole or wall mounted
- **Projected Capacitive 10-point multi-touch**
- **A sleek zero-bezel design**
- **Extreme performance with Intel 6th generation processor**
- **A genuine 100,000-hour MTBF machine**

QUDRA INTERNATIONAL (QI) is committed to delivering the highest IT value in each QI product.

**QUDRA
INTERNATIONAL®**

Distributor/Reseller

www.qudra-international.com

Rm 5, 5F, No. 50, Sec. 1, Xincheng S. Rd. Taipei City, Taiwan, R.O.C. 10059